

HAA32M

HARNAIS ANTICHUTE

Fall protection



Certifications and norms

EN361

150 KG



CSA Z259.10-18

Protects against risks



Specific benefits



Comfort

- \cdot 3D comfort foam integrated into harnesses, providing comfort and breathability for extended use
- · Bavarian design adapted to the body shape of women and men



Hygiene

· Harnesses and textiles can be washed with neutral soap



Performance

 \cdot Certification above the maximum rated load of 100 kg: product certified at 150 kg



Easy to use

- · Ergonomic design facilitating user movements
- · Automatic loops optimizing installation and locking safety

Applications

- Kmetijstvo
- · Javna dela
- · Kemična industrija
- Nafta in plin (pridobivanje)
- Petrokemija
- Gozdarska industrija







HAA32M HARNAIS ANTICHUTE

Fall protection

Standards - Details

Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Aluminum, Polyester
Fastening	Buckles
Number of attachment points	2
Number of total holding attachment points	2
Buckles	Automatic loop
Anti-fall point	Dorsal, Sternal
Color	Siv-Rumena
Comfort elements	"Soft padding" on shoulders and hips
Benefits element	Fall indicator
Lifespan from manufacturing (let)	10
Number of non-removable buckles	2
Weight (kg)	1.52
Number of automatic loops	3
Number of fall arrest anchorage points	2
Padding	Back, Belt
Sternal	1
Dorsal	1
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on horizontal surface, Long horizontal movement (less than 3 m), Long movement with multi connection /disconnection







HAA32M

FALL ARRESTER HARNESSES

High quality harness with 2 anchorage points (sternal and dorsal), comfort foam and automatic buckles for optimal fit and comfort

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
HAA32MGT	Grey-Yellow	S/M/L	HAA32M	3295249281137	13295249281134	5	1	9.03 kg	30.0 cm	46.0 cm	29.0 cm
HAA32MXX	Grey-Yellow	S/M/L	HAA32M	3295249281168	13295249281165	5	1	9.17 kg	30.0 cm	46.0 cm	29.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height