



Fall protection

HAA26

FALL ARRESTER HARNESSSES

Two colour harness with 2 anchorage points (sternal and dorsal), shoulder rescue points, comfort belt and 2 attachment points for work positioning



Specific benefits



Comfort

· Thermoformed back



Hygiene

· Can wash harnesses and textiles with neutral soap



Ease of Use

· NFC system guarantees traceability



Sustainability

· High webbing tenacity thanks to its weave and width



Visibility

· Anti-fall visual indicator allows for instant verification that product is properly functioning

Certifications and norms

ANSI Z359.11-2014



CSA Z259.10-18

Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Heavy Industry
- Light Industry

Risk Protection



Fall



Fall protection

HAA26

FALL ARRESTER HARNESSSES

Two colour harness with 2 anchorage points (sternal and dorsal), shoulder rescue points, comfort belt and 2 attachment points for work positioning

Standards - Details

Technical details

| | |
|---|--|
| Type of equipment | Fall arrester harness with restraint |
| Composition of the main support | Steel, Polyester |
| Fastening | Buckles |
| Number of attachment points | 2 |
| Number of total holding attachment points | 2 |
| Buckles | Manual loop |
| Anti-fall point | Dorsal, Sternal |
| Holding point | Belt |
| Color | Black-Yellow |
| Comfort elements | Thermoformed back |
| Size | S, M, L , XL, XXL |
| Benefits element | Fall indicator |
| Lifespan from manufacturing (years) | 10 |
| Weight (kg) | 2 |
| Number of manual buckles | 6 |
| Type of conditioning | Box of 5 |
| Number of fall arrest anchorage points | 2 |
| Sternal | 1 |
| Dorsal | 1 |
| Fall arrest work situations | Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection |








Fall protection

HAA26

FALL ARRESTER HARNESES

Two colour harness with 2 anchorage points (sternal and dorsal), shoulder rescue points, comfort belt and 2 attachment points for work positioning

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|--------------|--------|-------------|---------------|----------------|---|---|---------|---|---|---|
| HAA26GT | Black-Yellow | S/M/L | HAA26 | 3295249251482 | 13295249251489 | 5 | 1 | 11.0 kg | 80.0 cm | 23.0 cm | 28.0 cm |
| HAA26XX | Black-Yellow | XL/XXL | HAA26 | 3295249251499 | 13295249251496 | 5 | 1 | 11.0 kg | 80.0 cm | 23.0 cm | 28.0 cm |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height