



HAA32M

防坠落安全带

坠落防护

高质量安全带采用舒适泡沫和自动锁扣，实现最佳贴合感和舒适感



具体优势

舒适性

- 3D舒适海绵内衬，可提供长时间使用的舒适性和透气性
- 巴伐利亚设计风格，适合女性和男性的体型

卫生环保

- 系带和织物面料可用中性肥皂洗涤

高性能

- 认证的最大额定负载在100kg以上：产品认证在150kg以下

易用性

- 人体工程学设计，方便用户移动
- 自锁环，优化安装，安全锁定

应用行业

- 农业
- 公共工程
- 化工业
- 石油和天然气(开采)
- 石油化工
- 林业

标准和认证

EN361

150 KG



CSA Z259.10-18

防范风险



坠落



enjoy safety.

编辑 11/11/2024
www.deltaplus.com.cn



HAA32M

防坠落安全带

坠落防护

高质量安全带采用舒适泡沫和自动锁扣，实现最佳贴合感和舒适感

详细信息 - 标准

技术细节

装备类型	防坠落安全带
主要支架的组成	铝, 支撑材料/聚酯纤维
收紧方式	锁扣收紧
防坠落装置的挂点总数	2
固定挂点总数	2
扣环	自动环扣
防坠挂点	背部挂点, 胸部挂点
颜色	灰色-黄色
舒适因素	肩部和骨盆水平处的"软垫"
产品优势	坠落指示器
自生产之日起的产品寿命(年)	10
固定搭扣数量	2
重量(kg)	1.52
自动调节环的数量	3
防坠落锚点数量	2
Padding	Back, Belt
Sternal	1
Dorsal	1
防坠落作业类型	永久性建筑上的垂直移动, 生命线上的移动, 长距离垂直移动或倾斜表面上的移动, 绳索作业, 长距离垂直移动或倾斜表面上的移动, 短距离垂直移动或倾斜表面上的移动 (小于3米), 垂直移动, 有限空间, 水平表面上的长距离水平移动, 垂直结构上的长距离水平移动, 短距离水平移动 (小于3米), 具有多重连接/断开功能的长距离移动








Fall protection

HAA32M

FALL ARRESTER HARNESSSES

High quality harness with 2 anchorage points (sternal and dorsal), comfort foam and automatic buckles for optimal fit and comfort

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HAA32MGT	Grey-Yellow	S/M/L	HAA32M	3295249281137	13295249281134	5	1	9.03 kg	30.0 cm	46.0 cm	29.0 cm
HAA32MXX	Grey-Yellow	S/M/L	HAA32M	3295249281168	13295249281165	5	1	9.17 kg	30.0 cm	46.0 cm	29.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height