



# HAA24

## 防坠落安全带

坠落防护

Two colour harness with 2 anchorage points (sternal and dorsal), comfort belt with 2 attachment points for work positioning



### 具体优势

 舒适性

·热成型后背

 卫生环保

·系带和织物面料可用中性肥皂洗涤

 耐用性

·编织和宽度使织带具有较高的韧性

 可见性

·视觉坠落指示器，用于即时验证产品是否正常工作

### 标准和认证



CSA Z259.10-18

### 应用行业

- 农业
- 公共工程
- 建筑业
- 终饰工程/工艺
- 重工业
- 轻工业



# HAA24

## 防坠落安全带

Two colour harness with 2 anchorage points (sternal and dorsal), comfort belt with 2 attachment points for work positioning

坠落防护

### 详细信息 - 标准

### 技术细节

装备类型	含腰带的防坠落安全带
主要支架的组成	钢, 支撑材料/聚酯纤维
收紧方式	锁扣收紧
防坠落装置的挂点总数	1
固定挂点总数	2
扣环	手动环扣
防坠挂点	背部挂点
固定挂点	腰带
颜色	黑色-黄色
舒适因素	热成型背垫
尺寸	S, M, L, XL, XXL
产品优势	坠落指示器
自生产之日起的产品寿命	10 年
重量	2 kg
手动搭扣数量	6
包装类型	5/盒
防坠落锚点数量	2
Dorsal	1
Belt	1
防坠落作业类型	永久性建筑上的垂直移动, 工作定位, 生命线上的移动, 区域限制, 长距离垂直移动或倾斜表面上的移动, 短距离垂直移动或倾斜表面上的移动 (小于3米), 垂直移动, 有限空间, 水平表面上的长距离水平移动, 垂直结构上的长距离水平移动, 短距离水平移动 (小于3米), 具有多重连接/断开功能的长距离移动








Fall protection

# HAA24

## FALL ARRESTER HARNESSSES

Two colour harness with 2 anchorage points (sternal and dorsal), comfort belt with 2 attachment points for work positioning

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HAA24GT	Black-Yellow	S/M/L	HAA24	3295249219581	13295249219588	5	1	10.87 kg	80.0 cm	23.0 cm	28.0 cm
HAA24XX	Black-Yellow	XL/XXL	HAA24	3295249219574	13295249219571	5	1	10.87 kg	80.0 cm	23.0 cm	28.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height