



# HAA23

## 防坠落安全带

坠落防护



### 具体优势

#### 舒适性

· 热成型后背

#### 卫生环保

· 系带和织物面料可用中性肥皂洗涤

#### 易用性

· 双色系带，区分正反面，便于安全带的正确佩戴  
· NFC系统保证可追溯性

#### 耐用性

· 编织和宽度使织带具有较高的韧性

#### 可见性

· 视觉坠落指示器，用于即时验证产品是否正常工作

### 应用行业

- 农业
- 公共工程
- 建筑业
- 终饰工程/工艺
- 重工业
- 轻工业

### 标准和认证



CSA Z259.10-18

### 防范风险



坠落



# HAA23

## 防坠落安全带

坠落防护

### 详细信息 - 标准

### 技术细节

装备类型	含腰带的防坠落安全带
主要支架的组成	钢, 支撑材料/聚酯纤维
收紧方式	锁扣收紧
防坠落装置的挂点总数	1
固定挂点总数	2
扣环	手动环扣
防坠挂点	背部挂点
固定挂点	腰带, 侧面
颜色	黑色-黄色
舒适因素	热成型背垫
尺寸	S, M, L, XL, XXL
产品优势	坠落指示器
自生产之日起的产品寿命(年)	10
重量(kg)	2.28
手动搭扣数量	5
包装类型	5/盒
防坠落锚点数量	1
Dorsal	1
Belt	2
防坠落作业类型	永久性建筑上的垂直移动, 工作定位, 生命线上的移动, 区域限制, 长距离垂直移动或倾斜表面上的移动, 短距离垂直移动或倾斜表面上的移动 (小于3米), 垂直移动, 有限空间, 水平表面上的长距离水平移动, 垂直结构上的长距离水平移动, 短距离水平移动 (小于3米), 具有多重连接/断开功能的长距离移动








Fall protection

# HAA23

## FALL ARRESTER HARNESSSES

Two colour harness with 1 back anchorage point, adjustment grommets at the thighs, and 2 attachment points for work positioning

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HAA23GT	Black-Yellow	S/M/L	HAA23	3295249242350	13295249242357	5	1	12.0 kg	80.0 cm	23.0 cm	28.0 cm
HAA23XX	Black-Yellow	XL/XXL	HAA23	3295249242367	13295249242364	5	1	12.2 kg	80.0 cm	23.0 cm	28.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height