



HAA13

防坠落安全带

坠落防护



具体优势



卫生环保

· 系带和织物面料可用中性肥皂洗涤



易用性

· 双色系带，区分正反面，便于安全带的正确佩戴
· NFC系统保证可追溯性



耐用性

· 编织和宽度使织带具有较高的韧性



可见性

· 视觉坠落指示器，用于即时验证产品是否正常工作

标准和认证



CSA Z259.10-18

应用行业

- 农业
- 公共工程
- 建筑业
- 终饰工程/工艺
- 重工业
- 轻工业

防范风险



坠落



HAA13

防坠落安全带

坠落防护

详细信息 - 标准

技术细节

装备类型	含腰带的防坠落安全带
主要支架的组成	钢, 支撑材料/聚酯纤维
收紧方式	锁扣收紧
防坠落装置的挂点总数	1
固定挂点总数	2
扣环	手动环扣
防坠挂点	背部挂点
固定挂点	侧面
颜色	黑色-黄色
尺寸	S, M, L, XL, XXL
产品优势	坠落指示器
自生产之日起的产品寿命(年)	10
重量(kg)	1.64
手动搭扣数量	5
包装类型	5/盒
防坠落锚点数量	1
Dorsal	1
防坠落作业类型	永久性建筑上的垂直移动, 工作定位, 生命线上的移动, 区域限制, 长距离垂直移动或倾斜表面上的移动, 短距离垂直移动或倾斜表面上的移动(小于3米), 垂直移动, 有限空间, 水平表面上的长距离水平移动, 垂直结构上的长距离水平移动, 短距离水平移动(小于3米), 具有多重连接/断开功能的长距离移动








Fall protection

HAA13

FALL ARRESTER HARNESSSES

Two colour harness with 1 dorsal anchorage point and 2 attachment points for work positioning

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HAA13GT	Black-Yellow	S/M/L	HAA13	3295249242312	13295249242319	5	1	8.6 kg	44.0 cm	28.0 cm	22.0 cm
HAA13XX	Black-Yellow	XL/XXL	HAA13	3295249242329	13295249242326	5	1	8.8 kg	44.0 cm	28.0 cm	22.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height