



# LV102150

## NAPRAVE ZA UČVRŠČENJE

Produživo uže od 1,5 metra omogućuje jednostavno izvlačenje žrtve

Oprema protiv pada



### Prednosti

#### Trajnost

· Iznimno čvrsta traka zahvaljujući vrsti tkanja i materijalu te širini

### Područje upotrebe

- Poljoprivreda
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Kemijska industrija
- Nafta i plin (vađenje)

### Certifikati i standardi



EN354

EN 795

TIP B

### Štiti od



Pad



# LV102150

## NAPRAVE ZA UČVRŠĆENJE

Produživo uže od 1,5 metra omogućuje jednostavno izvlačenje žrtve

Oprema protiv pada

### Pojedinosti - Standardi

### Tehnički detalji

Vrsta opreme	Produžni remen s D-prstenom
Sastav glavnog nosača	Čelik, Poliester
Duljina (m)	1,5
Width (inch)	1.7685
Širina (mm)	45
Boja	Crna-Narančasta
SIZE	1.50 m
Završetak	Kopča na zatezanje
Vijek upotrebe nakon datuma proizvodnje (godine)	10
Težina (kg) (kg)	0,277
Radne situacije za zaštitu od pada	Zadržavanje, Spašavanje i evakuacija, Dugotrajno vertikalno kretanje ili kretanje na kosoj podlozi, Dugotrajno vertikalno kretanje ili kretanje na kosoj podlozi za radove na užetu, Kratkotrajno vertikalno kretanje ili kretanje na kosoj podlozi (- 3m), Dugotrajno horizontalno kretanje na horizontalnoj podlozi, Dugotrajno horizontalno kretanje na vertikalnoj podlozi, Kratkotrajno horizontalno kretanje (- 3m)
Duljina (ft)	4.9213








Fall protection

# LV102150

## ANCHORAGE DEVICES

Anchorage strap that can also be used as an evacuation strap, to be connected to the harness's D-ring - 1,5m

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LV102150	Black-Orange	1.50 m	LV102150	3660348006323	13660348006320	15	1	4.94 kg	44.0 cm	28.0 cm	15.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height