



AN513180JWW

UŽAD ZA AMORTIZACIJU PADA

Oprema protiv pada



Prednosti



Higijena

• Mogućnost pranja pojaseva i tkanine neutralnim sapunom



Jednostavnost korištenja

• NFC sustav koji jamči sljedivost



Trajnost

• Iznimno čvrsta traka zahvaljujući vrsti tkanja i materijalu te širini

Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Teška industrija
- Laka industrija
- Održavanje

Certifikati i standardi



CSA Z259.11-17

Štiti od



Pad



AN513180JWW

UŽAD ZA AMORTIZACIJU PADA

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Amortizacija pada uz pomoć užadi
Sastav glavnog nosača	Pocinčani čelik, Poliester
Duljina (m)	1.8
S priključkom	yes
Boja	Crna-Žuta
Spona (na strani korisnika)	Mala kuka, čelik, otvor 21 mm
SIZE	1,8 m
Završetak	3 našivene petlje na naprsku
Spona (na strani konstrukcije)	2 kuka s automatskim zaključavanjem, čelična, s otvorom od 65 mm
Težina (kg) (kg)	2.6
Vrsta pakiranja	Kutija od 5 komada
Radne situacije za zaštitu od pada	Vertikalno kretanje na fiksnoj strukturi, Kratkotrajno vertikalno kretanje ili kretanje na kosoj podlozi (- 3m), Kratkotrajno horizontalno kretanje (- 3m), Dugotrajno kretanje s mogućnošću pomjeranja točke pričvršćivanja
Duljina (ft)	5.9055








Fall protection

AN513180JWW

ENERGY ABSORBING LANYARDS

Double energy absorbing lanyard, made of high impact webbing, with 2 wide opening hooks, for short distances

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN513180JWW	Black-Yellow	1,8 m	AN513180JWW	3295249219604	13295249219601	5	1	13.5 kg	44.0 cm	28.0 cm	25.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height