



Fall protection

85121LE

RETRACTABLE FALL ARRESTERS

Self-retractable leading edge shock pack allows workers to move around their work area while maintaining continuous fall protection.



Applications

- Building
- Heavy Industry
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)
- Mining

Certifications and norms

ANSI Z359.11-2014



CSA Z259.10-18

Risk Protection



Fall



Fall protection

85121LE

RETRACTABLE FALL ARRESTERS

Self-retractable leading edge shock pack allows workers to move around their work area while maintaining continuous fall protection.

Standards - Details

Technical details

Composition of the main support	Galvanized steel
Length (m)	9.144
Benefits element	Comfort, Leading edge
Connectors (structure side)	3/4" snap hook with back splice
Use	For ascent and descent, For vertical movement
Fall arrest work situations	Vertical movement on a permanent structure
Length (ft)	30



Fall protection

85121LE

RETRACTABLE FALL ARRESTERS

Self-retractable leading edge shock pack allows workers to move around their work area while maintaining continuous fall protection.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA121LE	Colourless	-	85121LE	0	0	1	1	0.0	0.0	0.0	0.0

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height