



Fall protection

# 8521000

## ANCHORAGE DEVICES

Screw lock karabiners can be attached to bolts, anchors, or other fixed points to provide a secure attachment for ropes, slings, or other equipment.



### Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Heavy Industry
- Light Industry

### Certifications and norms

ANSI-ASSE Z359.12:2009



CSA Z259.12

### Risk Protection



Fall



Fall protection

# 8521000

## ANCHORAGE DEVICES

Screw lock karabiners can be attached to bolts, anchors, or other fixed points to provide a secure attachment for ropes, slings, or other equipment.

### Standards - Details

### Technical details

Type of equipment	Screw Karabiner
Composition of the main support	Galvanized steel
Gate opening (mm)	17
Opening (inch)	0.6681
Lock	Automatic system, Manual system
Fastening	Screw
Breaking Strength (Kn)	23



Fall protection

# 8521000

## ANCHORAGE DEVICES

Screw lock karabiners can be attached to bolts, anchors, or other fixed points to provide a secure attachment for ropes, slings, or other equipment.

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA21000	Colourless	30 m	8521000	776285852107	0	1	1	0.0	0.0	0.0	0.0

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height