



Fall protection

# 8521100

## ANCHORAGE DEVICES

Stamped steel reusable peak roofing anchor, ensures correct alignment of the lifeline connector.



### Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Oil & Gas (Extraction)
- Mining
- Petrochemical

### Certifications and norms

ANSI-ASSE Z359.12:2009



CSA Z259.12

### Risk Protection



Fall



Fall protection

# 8521100

## ANCHORAGE DEVICES

Stamped steel reusable peak roofing anchor, ensures correct alignment of the lifeline connector.

### Standards - Details

### Technical details

Type of equipment	Roofer's Bracket
Anchoring device	Anchor
Composition of the main support	Steel
Included elements	(16) #12 screws 2 7/8 with #3 Phillips pan head
Weight (lbs)	1.8
Use	For vertical movement








Fall protection

# 8521100

## ANCHORAGE DEVICES

Stamped steel reusable peak roofing anchor, ensures correct alignment of the lifeline connector.

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA21100	Colourless	30 m	8521100	776285852114	0	25	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height