



8522000

BEVESTIGINGSSYSTEMEN

Valbescherming



Toepassing

- Landbouw
- Openbare werken
- Bouw & Constructie
- Afwerking / ambachtslieden
- Zware industrie
- Lichte industrie

Certificeringen en normen



CSA Z259.12

Beschermt tegen



Val



8522000

BEVESTIGINGSSYSTEMEN

Valbescherming

Normen - Details

Technische details

Soort uitrusting	Karabijnhaak met automatische vergrendeling
Samenstelling van de hoofdsteen	Gegalvaniseerd staal
Opening (mm)	58
Opening (inch)	2.2794
Lock	Automatic system, Manual system
Sluiting	Automatisch
Werksituaties met valbeveiliging	Grote horizontale verplaatsingen op een horizontaal platform, Grote horizontale verplaatsingen langs een verticale wand








Fall protection

8522000

ANCHORAGE DEVICES

Automatic lock carabiners are used as part of personal fall protection systems allowing workers to connect to lifelines, lanyards, or anchor points securely.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA22000	Colourless	30 m	8522000	776285852206	0	10	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height