



Fall protection

8519000

ANCHORAGE DEVICES

Carabiner with automatic lock for more attaching protection



Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Heavy Industry
- Light Industry

Certifications and norms

ANSI-ASSE Z359.12:2009



CSA Z259.12

Risk Protection



Fall



8519000

ANCHORAGE DEVICES

Carabiner with automatic lock for more attaching protection

Fall protection

Standards - Details

Technical details

Type of equipment	Karabiner with 1/4 turn automatic lock
Composition of the main support	Steel
Gate opening (mm)	17
Opening (inch)	0.6681
Lock	Automatic system, Manual system
Connector 1	1/4 turn automatic lock
Breaking Strength (Kn)	25
Fall arrest work situations	Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure








8519000

ANCHORAGE DEVICES

Carabiner with automatic lock for more attaching protection

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA19000	Colourless	30 m	8519000	776285851900	0	1	1	0.0	0.0	0.0	0.0

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height