



Fall protection

8522000

ANCHORAGE DEVICES

Automatic lock carabiners are used as part of personal fall protection systems allowing workers to connect to lifelines, lanyards, or anchor points securely.



Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Heavy Industry
- Light Industry

Certifications and norms

ANSI-ASSE Z359.12:2009



CSA Z259.12

Risk Protection



Fall



Fall protection

8522000

ANCHORAGE DEVICES

Automatic lock carabiners are used as part of personal fall protection systems allowing workers to connect to lifelines, lanyards, or anchor points securely.

Standards - Details

Technical details

Type of equipment	Automatic Lock Carabiners
Composition of the main support	Galvanized steel
Gate opening (mm)	58
Opening (inch)	2.2794
Lock	Automatic system, Manual system
Fastening	Automatic
Fall arrest work situations	Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure



Fall protection

8522000

ANCHORAGE DEVICES

Automatic lock carabiners are used as part of personal fall protection systems allowing workers to connect to lifelines, lanyards, or anchor points securely.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA22000	Colourless	30 m	8522000	776285852206	0	10	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height