



8521300

DISPOSITIVOS DE ANCLAJE

Protección anticaídas



Beneficios



Compatibilidad

· Puede conectarse al arnés y al portaherramientas

Aplicaciones

- Obras públicas
- Edificación
- Reformas / Profesional autónomo
- Industria pesada
- Industria ligera
- Petróleo y gas (extracción)

Certificaciones y normas

ANSI-ASSE Z359.12:2009



CSA Z259.12

Protección contra



Caídas



8521300

DISPOSITIVOS DE ANCLAJE

Protección anticaídas

Detalles - Normas

Detalles técnicos

Tipo de equipamiento	Soporte para tejado plano con 2 agujeros
Composición del soporte principal	Acero inoxidable
Elementos incluidos	Portaherramientas con anilla en D lateral
Tamaño	One size
Tipo de envase	Caja de 10
Weight (lbs)	2.20








Fall protection

8521300

ANCHORAGE DEVICES

Our flat roofer's bracket with double D-rings allows workers to attach their fall protection equipment, such as lanyards or lifelines, securely to the bracket.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA21300	Colourless	30 m	8521300	776285852130	0	15	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height