

DISPOSITIVOS DE ANCORAGEM

Proteção anti-quedas

Benefícios



Compatibilidade

· Pode ser conectado ao arnês e ao porta-ferramentas

Área de utilização

- Obras públicas
- Edificação
- Segunda obra / Artesão
- Indústria pesada
- Indústria ligeira
- Petróleo e gás (extração)



Certificações e normas



CSA Z259.12

Protege contra







Proteção anti-quedas

8521300DISPOSITIVOS DE ANCORAGEM

Detalhes - Normas

Detalhes técnicos

Tipo de equipamento	#MUSPEC
Composição do suporte principal	Aço inoxidável
Artigos incluídos	Suporte lateral para ferramentas Dring
Tamanho	One size
Tipo de embalagem	Caixa de 10
Weight (lbs)	2.20







8521300

ANCHORAGE DEVICES

Our flat roofer's bracket with double D-rings allows workers to attach their fall protection equipment, such as lanyards or lifelines, securely to the bracket.

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		å	Weight			
WCA21300	Colourless	30 m	8521300	776285852130	0	15	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height