



Fall protection

# 8521300

## ANCHORAGE DEVICES

Our flat roofer's bracket with double D-rings allows workers to attach their fall protection equipment, such as lanyards or lifelines, securely to the bracket.



### Specific benefits



#### Compatibility

· Connectable to a harness and tool holder

### Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Heavy Industry
- Light Industry
- Oil & Gas (Extraction)

### Certifications and norms

ANSI-ASSE Z359.12:2009



CSA Z259.12

### Risk Protection



Fall



Fall protection

# 8521300

## ANCHORAGE DEVICES

Our flat roofer's bracket with double D-rings allows workers to attach their fall protection equipment, such as lanyards or lifelines, securely to the bracket.

### Standards - Details

### Technical details

Type of equipment	Flat Roofer's Bracket with 2 drings
Composition of the main support	Stainless steel
Included elements	D-Ring tool holderon both sides
Size	One size
Type of conditioning	box of 10
Weight (lbs)	2.20








Fall protection

# 8521300

## ANCHORAGE DEVICES

Our flat roofer's bracket with double D-rings allows workers to attach their fall protection equipment, such as lanyards or lifelines, securely to the bracket.

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA21300	Colourless	30 m	8521300	776285852130	0	15	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height