



8511510L

SUSTAVI ZA SPREČAVANJE PADA S AUTOMATSKIM ZAUSTAVLJANJEM

Oprema protiv pada



Prednosti



Higijena

· Mogućnost pranja pojaseva i tkanine neutralnim sapunom



Trajnost

· Iznimno čvrsta traka zahvaljujući vrsti tkanja i materijalu te širini

Područje upotrebe

- Javni radovi
- Zgrada
- Teška industrija
- Laka industrija
- Održavanje
- Kemijska industrija

Certifikati i standardi



CSA Z259.11-17



8511510L

SUSTAVI ZA SPREČAVANJE PADA S AUTOMATSKIM ZAUSTAVLJANJEM

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Uzica za udarce
Sastav glavnog nosača	Čelik
Duljina	0.8 m
Spona (na strani korisnika)	2 kuke od 3/4 inča s automatskim zaključavanje na svakom kraju
Duljina	2.5 ft








Fall protection

8511510L


RETRACTABLE FALL ARRESTERS

This shock cord improves worker safety by mitigating the impact forces experienced during a fall

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA11510L	Colourless	-	8511510L	0	0	1	1	0.0	0.0	0.0	0.0

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height