



# 8511100

## ANTICHUTE À RAPPEL AUTOMATIQUE

Fall protection



### Specific benefits



#### Hygiene

· Harnesses and textiles can be washed with neutral soap



#### Durability

· High webbing tenacity thanks to its weave and width

### Applications

- Stavba
- Second work / craftman
- Težka industrija
- Lahka industrija
- Vzdrževanje
- Avtomobilska

### Certifications and norms



CSA Z259.11-17

### Protects against risks



Fall



# 8511100

## ANTICHUTE À RAPPEL AUTOMATIQUE

Fall protection

### Standards - Details

### Technical details

Type of equipment	Lanyard and anchorage point in tubular strap
Composition of the main support	Steel
Length (m)	1.9
Velikost	One size
Connector (structure side)	Double 3/4 inch locking snap hooks at each end
Locking system	Inertia locking system
Lenght (ft)	6








Fall protection

# 8511100


## RETRACTABLE FALL ARRESTERS

Double locking snap hooks lanyard provides safety by reducing the risk of accidental disconnection and ensuring secure attachment

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA11100	Colourless	2 m	8511100	0	0	15	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height