



Fall protection

8511100

RETRACTABLE FALL ARRESTERS

Double locking snap hooks lanyard provides safety by reducing the risk of accidental disconnection and ensuring secure attachment



Specific benefits



Hygiene

· Can wash harnesses and textiles with neutral soap



Sustainability

· High webbing tenacity thanks to its weave and width

Applications

- Building
- Finishing Works/Craftsmanship
- Heavy Industry
- Light Industry
- Maintenance
- Automotive

Certifications and norms

ANSI Z359.13-2013



CSA Z259.11-17

Risk Protection



Fall



Fall protection

8511100

RETRACTABLE FALL ARRESTERS

Double locking snap hooks lanyard provides safety by reducing the risk of accidental disconnection and ensuring secure attachment

Standards - Details

Technical details

Type of equipment	Lanyard and anchorage point in tubular strap
Composition of the main support	Steel
Length (m)	1.9
Size	One size
Connectors (structure side)	Double 3/4 inch locking snap hooks at each end
Locking system	Inertia locking system
Length (ft)	6








Fall protection

8511100


RETRACTABLE FALL ARRESTERS

Double locking snap hooks lanyard provides safety by reducing the risk of accidental disconnection and ensuring secure attachment

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA11100	Colourless	2 m	8511100	0	0	15	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height