



85RY11W

HÖHENSICHERUNGSGERÄT MIT AUTOMATISCHEM RÜCKHOLSYSTEM

Absturzsicherung



Vorteile



Einfache Handhabung

· Automatische Schnallen optimieren das Anlegen und die Sicherheit der Verriegelung

Anwendung

- Öffentliche Arbeiten
- Gebäude
- Schwerindustrie
- Öl & Gas (Förderung)
- Bergbauindustrie

Zertifikationen und normen



CSA Z259.2.2-17



85RY11W

HÖHENSICHERUNGSGERÄT MIT AUTOMATISCHEM RÜCKHOLSYSTEM

Absturzsicherung

Details - Normen

Technische Details

Zusammensetzung der Hauptunterlage	Edelstahl
Zusätzlicher Vorteil	Leading edge
Steckverbinder (Strukturseite)	3/4" Karabinerhaken mit rückseitigem Spleiß
Maximale Belastung für eine Person (kg)	140
Verwendung	Für vertikale Bewegung
Absturzgefährdung	Vertikale bewegung an fixen Installationen



Fall protection

85RY11W

RETRACTABLE FALL ARRESTERS

Self retracting lanyard designed for tasks that involve working at heights, such as construction, roofing, maintenance, and window cleaning.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCARY11W	Colourless	3,3 m	85RY11W	0	0	1	1	0.0	0.0	0.0	0.0

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height