



# 85RY11W

ANTI-QUEDAS COM CURSO DE RETORNO AUTOMÁTICO

Proteção anti-quedas



## Benefícios



### Facilidade de utilização

· As fivelas automáticas otimizam a implementação e a segurança do bloqueio

## Área de utilização

- Obras públicas
- Edificação
- Indústria pesada
- Petróleo e gás (extração)
- Indústria mineira

## Certificações e normas



CSA Z259.2.2-17



# 85RY11W

ANTI-QUEDAS COM CURSO DE RETORNO AUTOMÁTICO

Proteção anti-quedas

## Detalhes - Normas

## Detalhes técnicos

Composição do suporte principal	Aço inoxidável
Vantagem adicional	Leading edge
Conector (lado da estrutura)	#MUSPEC
Carga máxima para uma pessoa (kg)	140
Utilização	Para movimento vertical
Situações de trabalho antiqueda	Grandes deslocamentos verticais em instalação permanente



Fall protection

# 85RY11W

## RETRACTABLE FALL ARRESTERS

Self retracting lanyard designed for tasks that involve working at heights, such as construction, roofing, maintenance, and window cleaning.

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCARY11W	Colourless	3,3 m	85RY11W	0	0	1	1	0.0	0.0	0.0	0.0

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height