



85RY11W

SUSTAVI ZA SPREČAVANJE PADA S AUTOMATSKIM ZAUSTAVLJANJEM

Oprema protiv pada



Prednosti



Jednostavnost korištenja

- Automatske kopče optimiziraju prijanjanje i sigurnost zaključavanja

Područje upotrebe

- Javni radovi
- Zgrada
- Teška industrija
- Nafta i plin (vađenje)
- Rudarska industrija

Certifikati i standardi



CSA Z259.2.2-17



85RY11W

SUSTAVI ZA SPREČAVANJE PADA S AUTOMATSKIM ZAUSTAVLJANJEM

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Sastav glavnog nosača	Nehrđajući čelik
Dodatna pogodnost	Leading edge (vodeći rub)
Spona (na strani konstrukcije)	#MUSPEC
Najveće dopušteno opterećenje je za jednu osobu	140 kg
Namjena	Za okomito kretanje
Radne situacije za zaštitu od pada	Vertikalno kretanje na fiksnoj strukturi







Fall protection

85RY11W

RETRACTABLE FALL ARRESTERS

Self retracting lanyard designed for tasks that involve working at heights, such as construction, roofing, maintenance, and window cleaning.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCARY11W	Colourless	3,3 m	85RY11W	0	0	1	1	0.0	0.0	0.0	0.0



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height