



85RY11W

ANTI-QUEDAS COM CURSO DE RETORNO AUTOMÁTICO

Proteção anti-quedas



Benefícios únicos



Facilidade de utilização

· As fivelas automáticas otimizam a implementação e a segurança do bloqueio

Aplicação

- Obras públicas
- Edifício
- Indústria pesada
- Petróleo e gás (extração)
- Indústria de mineração

Certificações e normas



CSA Z259.2.2-17



85RY11W

ANTI-QUEDAS COM CURSO DE RETORNO AUTOMÁTICO

Proteção anti-quedas

Detalhes - Normas

Detalhes técnicos

Composição do suporte principal	Aço inoxidável
Vantagem adicional	Leading edge
Conector (lado da estrutura)	#MUSPEC
Carga máxima para uma pessoa	140 kg
Utilização	Para movimento vertical
Situações de trabalho antiqueda	Grandes deslocamentos verticais em instalação permanente



Fall protection

85RY11W

RETRACTABLE FALL ARRESTERS

Self retracting lanyard designed for tasks that involve working at heights, such as construction, roofing, maintenance, and window cleaning.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCARY11W	Colourless	3,3 m	85RY11W	0	0	1	1	0.0	0.0	0.0	0.0

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height